

CORN EARLY TEST

(98-108 Relative Maturity • Sorted by Ada, Oh)

HYBRID	TRAITS	# OF YIELD LOCATIONS	YIELD MEAN	ADA, OHIO	MOISTURE	TEST WEIGHT	ROOT LODGE RATING	STALK LODGE RATING	GENERAL APPEARANCE RATING
DIRECT 0101-DC	5222	15	215.46	359.00	19.9	62.40	1.1	1.1	1.3
EX20-43	CONV	15	208.47	308.18	19.7	58.00	1.0	1.0	1.4
EX20-40	3010	15	208.21	288.57	19.7	61.60	1.0	1.0	1.2
EX20-59	VT2P	15	202.93	275.91	21.2	61.80	1.0	1.0	1.1
DIRECT 8108-3010	3010	15	211.14	264.83	19.5	59.90	1.0	1.0	1.2
EX20-37	RHS VT2P/ASR	15	204.40	259.74	19.0	59.60	1.0	1.0	1.5
EX20-49	3010	15	183.94	253.43	19.6	60.70	1.1	1.0	1.3
EX20-56	CONV	15	183.03	253.20	19.4	60.10	1.2	1.1	1.5
EX20-42	CONV	15	202.05	231.67	19.1	59.20	1.0	1.0	1.2
EX20-44	CONV	15	171.35	229.53	19.8	58.40	1.1	1.2	1.6
EX20-38	VT2P	15	213.86	221.75	19.1	61.20	1.0	1.1	1.4
DIRECT 9103-3010	3010	15	207.29	220.93	18.8	59.20	1.0	1.2	1.3
EX20-58	CONV	15	195.62	220.47	19.5	60.10	1.1	1.2	1.4
EX20-41	5122	15	201.57	217.04	20.2	58.60	1.0	1.1	1.5
EX20-2	3110A	15	176.43	213.67	18.4	59.90	1.2	1.2	1.5
EX20-17	RHS SS/ASR	15	176.20	204.33	18.0	59.70	1.2	1.3	1.7
EX20-34	VT2P/RHS/ASR	15	186.48	202.66	18.9	60.90	1.0	1.2	1.2
DIRECT 0095	CONV	15	173.72	200.48	18.7	61.60	1.1	1.1	1.6
EX20-51	3110	15	203.52	191.05	19.9	61.10	1.0	1.0	1.3
EX20-28	VT2P/RHS/ASR	15	200.92	187.25	18.7	60.50	1.0	1.1	1.4
EX20-53	VT2P/RHS/ASR	15	185.19	186.18	19.1	60.40	1.1	1.1	1.6
EX20-22	VT2P	15	176.27	180.35	18.0	60.00	1.0	1.0	1.2
EX20-19	5222	15	167.53	180.25	18.2	60.10	1.2	1.4	1.6
EX20-20	5122	15	180.55	179.65	18.8	59.30	1.0	1.0	1.3
EX20-1	VT2P	15	151.57	178.45	17.6	59.40	1.0	1.1	1.5
AgriGold A6346VT2RIB	RIB VT2P	15	156.10	177.29	19.9	60.00	1.0	1.0	1.5
EX20-47	VT2P/RHS/ASR	15	193.42	167.83	18.9	59.70	1.0	1.0	1.3
EX20-9	CONV	15	160.20	165.06	17.8	57.80	1.1	1.3	1.9
EX20-33	CONV	15	180.67	162.55	18.4	59.40	1.0	1.0	1.6
EX20-35	VT2P	15	203.13	162.10	18.6	59.00	1.0	1.0	1.2
DIRECT 0106-DC	5222	15	182.38	160.79	19.5	59.50	1.0	1.0	1.3
EX20-13	CONV	15	160.64	158.74	17.8	59.00	1.1	1.1	1.8
EX20-6	CONV	15	136.12	155.13	17.7	57.60	1.1	1.1	1.8
EX20-31	CONV	14	166.81	154.21	18.2	58.70	1.0	1.0	1.4
EX20-52	DGVT2P/ASR	15	214.45	151.20	19.4	59.70	1.0	1.2	1.3
EX20-25	CONV	15	178.78	150.45	18.4	61.90	1.0	1.1	1.4
DIRECT 1105	CONV	15	205.35	146.81	19.4	60.90	1.0	1.2	1.4
EX20-57	CONV	15	193.86	146.51	19.2	58.30	1.1	1.2	1.6
Pioneer P0157	CONV	15	162.77	138.07	18.9	59.00	1.1	1.1	1.8
EX20-30	CONV	15	178.21	131.80	18.9	58.30	1.1	1.2	1.5
EX20-55	VT2P/ASR	15	193.71	131.70	19.6	61.00	1.1	1.1	1.5
EX20-29	CONV	13	112.37	127.56	18.2		1.2	1.2	1.7
EX20-45	CONV	15	192.64	125.32	20.5	60.00	1.1	1.1	1.4
EX20-23	CONV	15	160.50	116.41	18.1	60.40	1.1	1.1	1.6
DIRECT 1099	5222	15	187.31	107.73	19.2	59.00	1.1	1.0	1.4
DeKalb DKC51-38RIB	RIB SS	15	148.48	105.77	18.4	58.90	1.1	1.0	1.5
EX20-16	3220	15	166.62	103.36	18.5	61.10	1.1	1.1	1.4
EX20-21	CONV	15	158.46	98.66	18.0	59.10	1.2	1.3	1.8
EX20-10	VT2P/ASR	15	163.30	88.05	17.6	61.20	1.1	1.3	1.5



CORN EARLY TEST (cont.)

(98-108 Relative Maturity • Sorted by Ada, Oh)

HYBRID	TRAITS	# OF YIELD LOCATIONS	YIELD MEAN	ADA, OHIO	MOISTURE	TEST WEIGHT	ROOT LODGE RATING	STALK LODGE RATING	GENERAL APPEARANCE RATING
EX20-14	VT2P	15	155.34	87.69	18.1	60.10	1.1	1.2	1.6
EX20-26	3010	15	159.47	83.40	18.1	61.10	1.1	1.2	1.5
EX20-11	VT2P/RHS/ASR	15	135.85	71.11	17.3	58.20	1.2	1.4	1.7
EX20-27	VT2P/ASR	14	171.81	60.44	18.1	60.50	1.0	1.0	1.3
Pioneer P8989AM	AM	14	141.62	56.48	17.1	58.90	1.2	1.5	2.2
DIRECT 1094-3110	3110	15	141.56	38.65	18.0	60.10	1.4	1.6	1.9
EX20-8	CONV	15	155.10	24.29	17.9	59.60	1.2	1.4	1.6
EX20-3	3120	15	146.65	23.43	17.8	60.80	1.0	1.1	1.7
EX20-4	VT2P	14	169.58		17.0	59.70	1.0	1.0	1.6
EX20-50	CONV	13	143.78		18.9		1.0	1.1	1.1
EX20-7	CONV	14	143.14		17.3	60.60	1.2	1.3	1.6
STATS									
MEAN			184.31	166.44	18.7	59.9			
CVErr			11.471	42.729					
LSD (.05)			11.69	142.41					
PLANTING DATE				May 7					
HARVEST DATE				Nov 3					

Use data with care. Considering data from multiple locations and years provides a better perspective on seed performance due to uncontrollable elements (ie: weather).

CORN MEDIUM TEST

(108-113 Relative Maturity • Sorted by Ada, Oh)

HYBRID	TRAIT	# OF PLOT REPLICATIONS	YIELD MEAN	ADA, OH	MOISTURE	TEST WEIGHT	ROOT LODGE RATING	STALK LODGE RATING	GENERAL APPEARANCE RATING
DIRECT 9110-3220	3220	17	226.47	323.34	21.4	59.10	1.0	1.3	1.4
SCS1087YHR*	HR	17	219.13	293.53	20.9	60.60	1.0	1.0	1.4
DIRECT 8109-3110	3110	17	202.21	287.63	21.7	58.50	1.0	1.0	1.1
MX20-62	3110	17	207.28	285.32	21.7	62.20	1.1	1.0	1.3
MX20-58	SS/ASR	17	228.19	285.22	22.0	61.50	1.0	1.0	1.2
DIRECT 0101-DC	5222	17	201.99	284.90	20.7	62.30	1.1	1.1	1.4
MX20-84	3010	17	220.36	284.70	23.7	57.80	1.0	1.0	1.0
MX20-56	3120	17	215.60	283.79	22.3	60.70	1.0	1.1	1.1
MX20-78	3120	17	219.61	283.07	24.2	57.30	1.0	1.0	1.0
MX20-63	TRE/RHS/ASR	17	221.89	282.80	21.6	59.70	1.0	1.0	1.2
MX20-43	RHS SS/ASR	17	220.98	281.59	21.7	61.80	1.0	1.0	1.2
Stewart 09DP409*	VT2P	17	213.27	280.72	21.6	60.10	1.0	1.1	1.3
MX20-29	3110	17	216.30	278.43	22.6	58.30	1.1	1.1	1.3
MX20-82	DGVT2P/ASR	17	221.74	276.77	22.8	60.20	1.0	1.0	1.1
MX20-44	RHS VT2P/ASR	17	230.77	276.02	22.2	60.80	1.0	1.0	1.5
DIRECT 8111-3000	3000	17	229.97	274.64	22.0	61.50	1.0	1.0	1.2
MX20-79	CONV	17	219.20	269.81	21.5	61.00	1.0	1.1	1.3
Pioneer P1197AM	AM	17	198.91	268.08	21.6	61.30	1.0	1.1	1.2
MX20-57	VT2P	17	214.87	267.66	22.0	60.70	1.0	1.0	1.3
MX20-25	3010	17	212.75	267.26	21.7	62.30	1.0	1.0	1.1
DIRECT 0110-3330	3330	17	207.99	261.14	22.4	58.70	1.0	1.1	1.1
MX20-64	3000GT	17	216.89	260.75	22.6	60.70	1.1	1.0	1.2
MX20-21	3330A	16	218.11	260.53	21.4		1.0	1.1	1.2
MX20-49	3110	17	197.69	258.83	21.6	59.70	1.1	1.0	1.1
MX20-77	SS/ASR	17	211.59	258.24	22.7	60.20	1.0	1.0	1.2
Pioneer P0589	CONV	17	193.82	258.20	19.7	59.50	1.0	1.0	1.4
MX20-3	RHS VT2P/ASR	17	205.32	257.89	19.5	59.50	1.1	1.1	1.3
DIRECT 9112-3110	3110	17	212.72	257.19	22.6	60.50	1.1	1.0	1.1
MX20-23	CONV	17	213.78	257.09	20.3	59.60	1.0	1.0	1.2
MX20-51	VT2P	17	213.27	256.37	21.3	58.20	1.1	1.0	1.2
MX20-71	CONV	17	199.14	256.36	22.7	62.70	1.0	1.0	1.2
MX20-74	VT2P/RHS/ASR	17	220.62	256.29	21.8	60.80	1.0	1.1	1.3
MX20-73	CONV	17	206.09	256.04	22.3	59.60	1.0	1.0	1.2
MX20-53	VT2P/ASR	17	213.63	255.64	22.2	60.50	1.0	1.1	1.2
DIRECT 9112	VT2P	17	221.64	255.29	22.9	60.60	1.0	1.0	1.2
MX20-69	CONV	17	203.81	254.96	22.2	62.40	1.0	1.0	1.1
MX20-67	3220	17	211.72	254.65	22.7	60.20	1.0	1.0	1.2
DIRECT 9107	CONV	17	208.12	254.36	21.1	59.90	1.0	1.0	1.1
DIRECT 9107-3220	3220	17	212.94	253.25	21.6	60.40	1.0	1.0	1.1
MX20-80	VT2P	17	216.01	252.77	22.0	61.00	1.0	1.1	1.5
DIRECT 1106	CONV	17	207.58	252.66	20.0	60.40	1.1	1.0	1.4
MX20-54	CONV	17	190.00	252.39	22.9	59.80	1.1	1.0	1.2
DIRECT 8111	CONV	17	198.52	252.17	21.8	60.80	1.0	1.0	1.2
MX20-52	CONV	17	209.74	250.77	21.9	58.60	1.0	1.0	1.0
MX20-22	VT2P	17	205.98	248.30	21.6	60.90	1.1	1.0	1.3
DIRECT 1105	CONV	17	210.59	247.98	19.6	58.30	1.0	1.0	1.4

CORN MEDIUM TEST (cont.)

(108-113 Relative Maturity • Sorted by Ada, Oh)

HYBRID	TRAIT	# OF PLOT REPLICATIONS	YIELD MEAN	ADA, OH	MOISTURE	TEST WEIGHT	ROOT LODGE RATING	STALK LODGE RATING	GENERAL APPEARANCE RATING
MX20-59	CONV	17	198.27	246.80	21.7	62.00	1.1	1.0	1.2
MX20-16	3120	17	215.43	245.18	20.7	59.60	1.1	1.1	1.3
DIRECT 8108-3010	3010	17	205.90	245.13	20.4	58.60	1.0	1.0	1.2
MX20-37	3010	17	209.05	244.31	22.9	57.60	1.0	1.0	1.1
MX20-6	CONV	17	216.23	243.33	20.0	58.10	1.0	1.0	1.3
Agrigold A6488VT2RIB	RIB VT2P	17	206.49	242.76	22.1	61.50	1.1	1.1	1.3
MX20-50	VT2P	17	207.65	242.37	21.2	60.10	1.0	1.0	1.2
DIRECT 1106	CONV	17	213.71	241.94	20.4	60.50	1.1	1.0	1.3
MX20-39	CONV	17	207.61	240.99	21.0	60.50	1.0	1.2	1.1
MX20-42	RHS VT2P/ASR	17	205.89	240.64	21.2	60.50	1.0	1.0	1.4
DIRECT 7112-3000	3000	17	207.77	240.25	23.4	59.40	1.1	1.1	1.1
MX20-26	CONV	17	207.54	240.15	21.2	63.30	1.0	1.1	1.5
DIRECT 7112	CONV	17	208.54	237.31	22.3	59.40	1.0	1.0	1.1
MX20-55	3010	17	203.70	236.85	21.6	60.30	1.0	1.0	1.2
DIRECT 0106-DC	5222	17	192.68	236.35	20.4	60.00	1.1	1.3	1.5
MX20-61	VT2P	17	225.84	236.22	22.3	60.40	1.0	1.0	1.2
MX20-5	5122	17	191.95	234.92	21.0	59.00	1.1	1.0	1.2
Dekalb DKC60-88RIB	RIB VT2P	17	203.39	232.69	21.6	60.90	1.0	1.0	1.2
MX20-2	VT2P	17	195.62	231.36	19.0	59.60	1.1	1.0	1.1
MX20-46	CONV	17	191.99	230.32	21.2	60.80	1.0	1.1	1.1
MX20-47	3220	17	200.12	226.91	21.1	59.70	1.0	1.0	1.1
SCS1098YHR	HR	17	199.97	225.33	21.3	60.10	1.0	1.1	1.3
MX20-38	CONV	17	179.52	225.04	21.4	61.30	1.0	1.0	1.1
MX20-68	CONV	17	186.84	223.97	23.4	61.20	1.0	1.0	1.1
MX20-70	CONV	17	182.17	218.15	22.4	61.50	1.0	1.0	1.1
MX20-41	CONV	17	206.84	213.03	21.3	60.90	1.0	1.1	1.1
MX20-4	VT2P	16	211.49	207.87	19.8		1.0	1.0	1.3
MX20-28	VT2P/RHS/ASR	17	203.86	198.11	20.5	59.50	1.1	1.1	1.3
MX20-15	CONV	17	198.05	191.20	20.0	58.00	1.0	1.0	1.3
MX20-9	VT2P/RHS/ASR	17	192.24	189.90	19.7	60.50	1.1	1.1	1.2
MX20-40	CONV	17	166.70	187.48	21.7	60.10	1.1	1.2	1.2
MX20-32	VT2P/ASR	17	195.64	162.94	21.1	60.40	1.0	1.0	1.1
MX20-31	VT2P	17	224.09	161.79	21.4	61.40	1.0	1.0	1.2
DIRECT 1104-3010	3010	17	187.08	152.86	19.8	60.00	1.1	1.0	1.4
DIRECT 7107	CONV	17	194.10	113.36	20.9	58.80	1.0	1.0	1.2
DIRECT 1105	CONV	17	206.05	103.96	19.8	60.10	1.0	1.0	1.5
MX20-14	VT2P/RHS/ASR	17	188.85	99.90	20.4	60.30	1.0	1.0	1.4
MX20-13	3120	17	189.25	73.00	20.5	60.90	1.0	1.0	1.3
STATS									
MEAN			207.11	240.95	21.5	58.8			
CVErr			8.094	19.635					
LSD (.05)			8.65	76.26					
PLANTING DATE				May 7					
HARVEST DATE				Nov 3					

Use data with care. Considering data from multiple locations and years provides a better perspective on seed performance due to uncontrollable elements (ie: weather).

*Competitive check furnished by grower